


Amendments to the Claims

1. (Currently Amended) A compound of the following formula:



or a pharmaceutically acceptable salt or N-oxide thereof;

wherein

A is an aryl or heteroaryl;


each of B, B¹, and B² is N;

each of R² and R³ is independently hydrogen, alkyl, cycloalkyl, cycloalkenyl, aryl, aralkyl, heterocycloalkyl, heterocycloalkenyl, heteroaryl, or heteroaralkyl;


X¹ is a bond or C₁₋₆ alkylene, C₂₋₆ alkenylene, or C₂₋₆ alkynylene, each of which being optionally interrupted by or linked terminally to -O-, -S-, or -N(R²)-;

X² is a bond, C₁₋₆ alkylene, C₂₋₆ alkenylene, or C₂₋₆ alkynylene;

L is a linker selected from the group consisting of:



Applicant(s): Hairuo Peng et al.
 U.S.S.N.: 10/552,304



wherein:

each of R' and R'' is independently hydrogen, alkyl, alkenyl, alkynyl, alkoxy, acyl, halo, hydroxy, amino, nitro, oxo, thioxo, cyano, guanidino, amidino, carboxy, sulfo, sulfoxy, mercapto, alkylsulfanyl, alkylsulfinyl, alkylsulfonyl, aminocarbonyl, alkylcarbonylamino, alkylsulfonylamino, alkoxycarbonyl, alkylcarbonyloxy, urea, thiourea, sulfamoyl, sulfamide, carbamoyl, cycloalkyl, cycloalkyloxy, cycloalkylsulfanyl, heterocycloalkyl, heterocycloalkyloxy, heterocycloalkylsulfanyl, aryl, aryloxy, arylsulfanyl, aroyl, heteroaryl, heteroaryloxy, heteroaryl-sulfanyl, or heteroaroyl;

X is $-C(R^2)(R^3)-$, $-N(R^2)-$, $-O-$, or $-S-$;

each of \underline{p} , p1 and p2 is independently 0-2;

each of q1 and q2 is independently 0-2;

each of m1 and m2 is independently 0-2;

each of r and r1 is independently 1-2; and


r2 is 0-1;

Y is $-C(R^2)(R^3)-$, $-N(R''')-$, $-O-$, $-S-$, $-SO-$, $-SO_2-$, $-CO-$, $-CO_2-$, or a bond where R''' is hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, cycloalkenyl, cycloalkenylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl; and


R¹ is hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, cycloalkenyl, cycloalkenylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl.

2. (Original) The compound of claim 1, wherein L is

U.S.S.N.: 10/552,304




3. (Original) The compound of claim 2, wherein L is




4. (Original) The compound of claim 3, wherein X is -CH₂-, p1 is 1, p2 is 1 or 2, q1 is 1, r2 is 1 or 2, each of m1 and m2 is independently 0 or 1, and each of R' and R'' is independently hydrogen or alkyl.

5. (Original) The compound of claim 4, wherein L is




6. (Original) The compound of claim 2, wherein L is

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304



7. (Original) The compound of claim 6, wherein X is $-\text{CH}_2-$, $p1$ is 0 or 1, $p2$ is 1 or 2, $q1$ is 1, $q2$ is 1 or 2, each of $m1$ and $m2$ is independently 0 or 1, and each of R' and R'' is independently hydrogen or alkyl.



8. (Original) The compound of claim 7, wherein L is .
9. (Original) The compound of claim 2, wherein X^1 is a bond or C_{1-4} alkylene that is optionally linked terminally to $-\text{N}(\text{R}^2)-$, where R^2 is hydrogen or alkyl.
10. (Original) The compound of claim 2, wherein X^2 is a bond or C_{1-4} alkylene.
11. (Original) The compound of claim 2, wherein Y is $-\text{N}(\text{R}''')$ -, $-\text{O}-$, $-\text{S}-$, or a bond where R''' is hydrogen, alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclylalkyl.
12. (Original) The compound of claim 11, wherein R''' is hydrogen, cycloalkylalkyl, heterocycloalkylalkyl, aryl, heteroaryl, aralkyl, or heteroaralkyl.
13. Canceled.

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

14. (Original) The compound of claim 2, wherein each of R^2 and R^3 is independently hydrogen or alkyl.
15. (Original) The compound of claim 2, wherein R^1 is hydrogen, alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclalkyl.
16. (Original) The compound of claim 2, wherein R^1 is hydrogen, or R^1 is phenyl, furyl, thienyl, pyrrolyl, oxazolyl, thiazolyl, imidazolyl, pyrazolyl, isoxazolyl, isothiazolyl, oxadiazolyl, triazolyl, thiadiazolyl, pyridyl, pyridazinyl, pyrimidinyl, pyrazinyl, triazinyl, quinoliny, isoquinoliny, indolyl, isoindolyl, benzofuryl, benzothiophenyl, benzimidazolyl, benzthiazolyl, furopyridyl, or thienopyridyl; each of which being optionally substituted with C_{1-4} alkyl, halo, hydroxy, C_{1-4} alkoxy, or C_{1-4} alkylthio.
17. (Original) The compound of claim 2, wherein A is heteroaryl.
18. (Previously Presented) The compound of claim 3, wherein X^1 is a bond or C_{1-4} alkylene that is optionally linked terminally to $-N(R^2)-$; X^2 is a bond or C_{1-4} alkylene; Y is $-N(R''')$ -, $-O-$, $-S-$, or a bond where R''' is hydrogen, cycloalkylalkyl, heterocycloalkylalkyl, aryl, heteroaryl, aralkyl, or heteroaralkyl; each of R^2 and R^3 is independently hydrogen or alkyl; R^1 is cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclalkyl; and A is heteroaryl.
19. (Original) The compound of claim 18, wherein X^1 is a bond; each of R^2 and R^3 is hydrogen; and R^1 is aryl or heteroaryl.
20. (Original) The compound of claim 18, wherein X is $-CH_2-$, p_1 is 1, p_2 is 1 or 2, q_1 is 1, r_2 is 1 or 2, each of m_1 and m_2 is independently 0 or 1, and each of R' and R'' is independently hydrogen or alkyl.

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

21. (Previously Presented) The compound of claim 6, wherein X^1 is a bond or C_{1-4} alkylene that is optionally linked terminally to $-N(R^2)-$ where R^2 is hydrogen or alkyl; X^2 is a bond or C_{1-4} alkylene; Y is $-N(R''')$ -, $-O-$, $-S-$, or a bond where R''' is hydrogen, cycloalkylalkyl, heterocycloalkylalkyl, aryl, heteroaryl, aralkyl, or heteroaralkyl; each of R^2 and R^3 is independently hydrogen or alkyl; R^1 is cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, or heterocyclalkyl; and A is heteroaryl.
22. (Original) The compound of claim 21, wherein X is $-CH_2-$, p_1 is 0 or 1, p_2 is 1 or 2, q_1 is 1, q_2 is 1 or 2, each of m_1 and m_2 is independently 0 or 1, and each of R' and R'' is independently hydrogen or alkyl.
23. (Previously Presented) The compound of claim 1, said compound being selected from the group consisting of:
- (7RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
- (6RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-6-yl]-methanol;
- (7RS, 9aRS)-[2-(5-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-c]pyrimidin-7-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
- (7RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a]pyrimidin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
- (7RS, 9aSR)-5-[7-(3-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
- (7RS, 9aRS)-2-furan-2-yl- N^5 -(2-pyrimidin-2-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl)-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;
- (7RS, 9aSR)- N^5 -[2-(5-chloro-1-methyl-3-trifluoromethyl-1H-pyrazol-4-ylmethyl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;
- (7RS, 9aSR)-2-furan-2-yl- N^5 -(2-pyrimidin-2-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl)-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-5-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-{7-[(bis-pyridin-4-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyrimidin-2-ylaminomethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-(7-{[(pyridin-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
2-furan-2-yl-5-[5-(5-methyl-isoxazol-3-ylmethyl)-2,5-diaza-bicyclo[2.2.1]hept-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine ;
5-[5-(4-fluoro-benzyl)-2,5-diaza-bicyclo[2.2.1]hept-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
5-[5-(4-chloro-benzyl)-hexahydro-pyrrolo[3,4-b]pyrrol-1-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
5-[1-(2,6-dichloro-benzyl)-hexahydro-pyrrolo[3,4-b]pyrrol-5-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(±)-2-furan-2-yl-5-(octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(±)-2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(S)-2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(3S, 8aS)-5-(3-benzyl-hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(7RS, 9aRS)-5-[7-(2,4-difluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(quinolin-6-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-2-furan-2-yl-5-(7-phenoxymethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(5,6,7,8-tetrahydro-naphthalen-2-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-[7-(2-fluoro-phenoxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-[7-(3-fluoro-phenoxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-[7-(4-fluoro-phenoxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(4-methoxy-phenoxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(2,3,5-trifluoro-phenoxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(2,4,6-trifluoro-phenoxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyridin-2-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyridin-3-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(pyridin-4-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(4-trifluoromethyl-pyrimidin-2-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(6-trifluoromethyl-pyrimidin-4-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(quinazolin-2-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(isoquinolin-3-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-2-furan-2-yl-5-[7-(isoquinolin-5-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-[7-(1H-pyrazolo[3,4-d]pyrimidin-4-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-(7-imidazol-1-ylmethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-(7-[1,2,4]triazol-1-ylmethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-(7-tetrazol-1-ylmethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-5-[7-(2,4-difluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(4-methoxy-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-(7-phenoxy-methyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(5,6,7,8-tetrahydro-naphthalen-2-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(pyridin-2-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(pyridin-3-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(pyridin-4-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-5-[7-(benzo[1,3]dioxol-5-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(quinazolin-2-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-2-furan-2-yl-5-[7-(quinolin-2-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aSR)-2-furan-2-yl-5-[7-(isoquinolin-3-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-2-furan-2-yl-5-[7-(isoquinolin-5-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-5-[7-(2-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-5-[7-(4-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(6RS, 9aRS)-[2-furan-2-yl-5-(6-phenoxy-methyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(6RS, 9aRS)-[2-furan-2-yl-5-[6-(5,6,7,8-tetrahydro-naphthalen-1-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(6RS, 9aRS)-[5-[6-(3-amino-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(6RS, 9aRS)-[5-[6-(benzo[1,3]dioxol-5-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(6RS, 9aRS)-[2-furan-2-yl-5-[6-(1H-indol-5-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(6RS, 9aRS)-[1-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)-octahydro-pyrido[1,2-a]pyrazin-6-ylmethyl]-1H-indol-5-ol];

(7RS, 9aRS)-3-amino-5-{7-[(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-ylamino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-6-chloro-pyrazine-2-carboxylic acid methyl ester;

(7RS, 9aRS)-N5-[2-(3,5-difluoro-phenyl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;

(7RS, 9aRS)-N5-[2-(2,4-difluoro-benzyl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;

(7RS, 9aSR)-5-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-5-(7-{[bis-(2-fluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-(7-{[bis-(2,4-difluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-{7-[(2,4-difluoro-benzylamino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-(7-{[bis-(2,4,6-trifluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-(7-{[bis-(2,3-difluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-(7-{[bis-(2,6-difluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-(7-{[bis-(3,5-difluoro-benzyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-(7-{[bis-(5-chloro-furan-2-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-{7-[(bis-pyridin-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-{7-[(bis-pyridin-3-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-furan-2-yl-5-(7-{[(pyridin-3-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-(7-{[bis-(2-chloro-1-methyl-4-trifluoromethyl-1H-pyrrol-3-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-(7-{[bis-(3,5-dimethyl-isoxazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-(7-{[(3,5-dimethyl-isoxazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aRS)-5-{7-[(bis-cyclohexylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-{7-[(bis-furan-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[bis-(1H-pyrrol-2-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[bis-(5-chloro-1,3-dimethyl-1H-pyrazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[(5-chloro-1,3-dimethyl-1H-pyrazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-{7-[(bis-thiazol-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-{7-[(bis-thiophen-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aRS)-5-(7-{[bis-(5-methyl-thiophen-2-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-2-furan-2-yl-5-[7-(pyrimidin-2-ylaminomethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-5-{7-[(bis-pyridin-4-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-2-furan-2-yl-5-(7-{[(pyridin-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-5-{7-[(bis-pyridin-3-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-2-furan-2-yl-5-(7-{[(pyridin-3-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

(7RS, 9aSR)-5-{7-[(bis-furan-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS, 9aSR)-2-furan-2-yl-5-(7-([(furan-2-ylmethyl)-amino]-methyl))-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-5-(7-([bis-(3,5-dimethyl-isoxazol-4-ylmethyl)-amino]-methyl))-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aSR)-5-(7-([(3,5-dimethyl-isoxazol-4-ylmethyl)-amino]-methyl))-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(R)-2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
2-furan-2-yl-5-(1-quinolin-2-ylmethyl-hexahydro-pyrrolo[3,4-b]pyrrol-5-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine; and
(7RS, 9aRS)-2-furan-2-yl-5-[7-(quinolin-7-yloxymethyl))-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine.

24. (Previously Presented) The compound of claim 1, said compound being selected from the group consisting of:

(±)2-furan-2-yl-5-(octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(±)2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl))-octahydro-pyrido[1,2-a]pyrazin-7-yl]-methanol;
(6RS, 9aRS)-[2-(7-amino-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl))-octahydro-pyrido[1,2-a]pyrazin-6-yl]-methanol;
(7RS, 9aRS)-2-Furan-2-yl-5-[7-(quinolin-6-yloxymethyl))-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-2-Furan-2-yl-5-(7-phenoxyethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS, 9aRS)-5-[7-(2-fluoro-phenoxyethyl))-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS,9aRS)-5-[7-(3-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-[7-(pyridin-3-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-[7-(isoquinolin-5-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-[7-(1H-pyrazolo[3,4-d]pyrimidin-4-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-(7-imidazol-1-ylmethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-(7-[1,2,4]triazol-1-ylmethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aSR)-2-furan-2-yl-5-[7-(quinolin-2-yloxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(6RS,9aRS)-2-furan-2-yl-5-(6-phenoxy-methyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-N5-(2-pyrimidin-2-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl)-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;
(7RS,9aRS)-5-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aSR)-5-(7-aminomethyl-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-{7-[(2,4-difluoro-benzylamino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-{7-[(bis-pyridin-4-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-(7-{[(pyridin-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-{7-[(bis-pyridin-2-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

(7RS,9aRS)-5-{7-[(bis-pyridin-3-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-5-[7-(pyrimidin-2-ylaminomethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-(7-{[(5-chloro-1,3-dimethyl-1H-pyrazol-4-ylmethyl)-amino]-methyl}-octahydro-pyrido[1,2-a]pyrazin-2-yl)-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aSR)-5-{7-[(bis-pyridin-3-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(R)-2-furan-2-yl-5-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine; and
(7RS, 9aRS)-2-furan-2-yl-5-[7-(quinolin-7-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine.

25. (Previously Presented) The compound of claim 1, said compound being selected from the group consisting of:

(7RS,9aRS)-2-furan-2-yl-5-[7-(quinolin-6-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-5-[7-(3-fluoro-phenoxy-methyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine;
(7RS,9aRS)-2-furan-2-yl-N5-(2-pyrimidin-2-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl)-[1,2,4]triazolo[1,5-a][1,3,5]triazine-5,7-diamine;
(7RS,9aRS)-5-{7-[(bis-pyridin-3-ylmethyl-amino)-methyl]-octahydro-pyrido[1,2-a]pyrazin-2-yl}-2-furan-2-yl-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine; and
(7RS, 9aRS)-2-furan-2-yl-5-[7-(quinolin-7-yloxymethyl)-octahydro-pyrido[1,2-a]pyrazin-2-yl]-[1,2,4]triazolo[1,5-a][1,3,5]triazin-7-ylamine.

26. (Original) A pharmaceutical composition comprising a compound of claim 1 and a pharmaceutically acceptable carrier.

Applicant(s): Hairuo Peng et al.
U.S.S.N.: 10/552,304

27. (Original) A pharmaceutical composition comprising a compound of claim 23 and a pharmaceutically acceptable carrier.

28-34. (Canceled)

34.(Currently Amended) A method of treating disorder or disease selected from Parkinson's disease in a subject, progressive supranuclear palsy, multiple system atrophy, Alzheimer's disease, depression, AIDS encephalopathy, multiple sclerosis, amyotrophic lateral sclerosis, migraine, attention deficit disorder, narcolepsy, sleep apnea that results in excessive daytime sleepiness, Huntington's disease, cerebral ischemia, brain trauma, hepatic fibrosis, cirrhosis, and fatty liver the method comprising the step of administering to said subject an effective amount of a compound of claim 1.

35-39. (Canceled)